



U.S. & Caribbean
RETAIL
Price Guide

Effective March 1, 2010

Cabasse

Expression. Emotion. Experience. Dynamic range, power handling, acoustical accuracy in stereo and multichannel, exceptional width and depth of the sound image, Cabasse speakers have something that others don't have. Designed in Brittany, France in the Cabasse Acoustic Center, heir of 60 years of acoustic innovations, Cabasse technology offers new discoveries in sound day after day. Oceo, Idea, Artis. Three families of Cabasse loudspeakers create a wealth of sensations.



La Sphere - Pearl



La Sphere Digital Processor and Amplifiers

TERMS & CONDITIONS

- Ordering:** All orders subject to these terms and conditions. No additions, deletions or amendments to these terms and conditions will be binding without written approval of StJohn Group, Inc. We will not be held responsible for errors or omissions. Orders are only accepted in writing, either customer Purchase Order (PO) or signed and dated Quote furnished by StJohn Group within the last 30 days.
- Color:** Always specify a finish color when ordering.
- Order Acknowledgments:** An e-mailed order acknowledgment is provided to all customers that provide a valid e-mail address.
- Cancellation:** Cancellations are only permitted on items which have not yet been shipped from our warehouse or the factory.
- Freight:** All shipments are F.O.B. origin; product ownership passes to you when it leaves our warehouse or the factory.
- Lead Time:** Inquire at time of order. Most items and assemblies are kept in stock, but allow 2-3 weeks for delivery. Expedited delivery may be available for an additional fee of 25%. Custom products may take as long as 6-8 weeks.
- Returns:** Return Material Authorization (RMA) is required. All returns are subject to a 25% restocking fee to cover for the cost of inspection and repackaging. Shipping charges are non-refundable. When returning products, ship insured and prepaid, using a carrier that has tracking capabilities. The customer assumes responsibility for insuring the return shipment and filing the claim for lost or damaged returns. RMA# must be clearly marked on the outside of the box.
- Changes:** All product, prices, models, terms, and conditions are subject to change without notice. This price list is effective March, 2010 and supersedes any previous price list.
- Export From U.S.A.:** All orders shipped outside the U.S.A. the buyer is responsible for all duties, taxes and processing fees assessed by Customs.
- Quotations & Special Orders:** Quotations are valid for 30 days. Quotations are valid for specifications listed; any omissions or additions will require revisions.
- Payment:** Remit payments to StJohn Group, Inc. Please include our Invoice number on all remittance. We accept Master Card, VISA & American Express, checks, and wire transfers. A \$50 fee will be assessed for all NSF or returned checks.
- Payment Due:** Prepayment is required on all sales. All sales are final. StJohn Group does not offer invoice terms.
- State Sales Tax:** State Sales taxes are levied on all orders. Orders that are tax-exempt for resale will be accepted but not processed until a valid tax certificate is received. Fax, e-mail, or mail the valid certificate to:
- StJohn Group, Inc.
4396 Saddlestone Drive
Bellingham, WA 98226
E-mail: orders@stjohngroup.com
Fax: 360-647-1087
- Warranty:** Five-year limited warranty against manufacturer's defects on speakers; two years on electronics.

TABLE OF CONTENTS

TERMS & CONDITIONS	3
ARTIS	
La Sphere.....	5
Baltic Evolution	6
Riga.....	6
IDEA	
Altura MC Series - Ambrose 3, Iroise 3, Egea 3, Bora	7
IO2	8
KI	8
OCEO	
Eole 2	9
Alcyone	9
Phi	10
MC40 Series - Majorca, Java, Minorca, Cabrera, Formentera	11
MT30 Series - Aldernay, Jersey, Tobago, Antigua, Socoa, Pico	12-13
SUBWOOFERS.....	14

SCS Technology - Listen to the SCS Difference

Fidelity to original timbres and dynamic range, a wide, stable and full soundstage, these are the benefits of SCS (Spatially Coherent System) technology.

Imagine three stones hitting the surface of a lake at three different points. The created waves will mix and propagate erratically. Now imagine three stones hitting the surface at the same point, the waves grow and spread harmoniously. This single source emission is the benefit of the co-axial drivers and wide-range tweeters designed by the Cabasse R&D team.

The listening experience will take you to the heights of emotion.



ARTIS

La Sphère - SCS Technology



ARTIS	La Sphère (pair)	La Sphère Amplifier Set
Ways	4	
Drivers	1 x 21 cm (8") tri-axial 28 mm (1.1") polyether tweeter 10 cm (4") P2C annular midrange 21 cm (8") Duocell® annular low-midrange 1 x 55 cm (22") honeycomb dome woofer	4 x Cabasse BCREF1000 - 1000 Watt mono digital amplifiers and 4 x Cabasse BCM300 - 300 Watt mono digital amplifiers
Dispersion	within 2 dB of reference response : over 60° arc for any plan, forming a perfect 60° cone	
X-over Points	active	
Efficiency 1W/1m	active	
Freq. Response	20 - 25,000 Hz	+/-0.5dB 20Hz-20KHz, all loads
Nom. Impedance	active	
Min. Impedance	active	2 ohms
Power handling / Peak Power	active	>1000W into 4 ohms, >500W into 8 ohms
Dimensions (HxWxD)	55.1" x 27.6" x 27.6"	3" x 8.5" x 12 "
Weight	220 lbs	13 lbs
Finish	Black pearl Pearl	Stainless steel faceplates
RETAIL	172,000.00 / pair	34,850.00 / set


See all subwoofers and system recommendations on page 13.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087

ARTIS

Baltic Evolution & Riga - SCS Technology



Baltic Evolution



Riga

ARTIS	Baltic Evolution Floorstander	Baltic Evolution On base	Baltic Evolution On wall	Riga Floorstander	Riga On base	Riga On wall
Ways	3	3	3	2	2	2
Drivers	1 x 21 cm (8") tri-axial 28 mm (1.1") polyether tweeter 10 cm (4") P2C annular midrange 21 cm (8") Duocell® an- nular low-midrange	1 x 21 cm (8") tri-axial 28 mm (1.1") polyether tweeter 10 cm (4") P2C annular midrange 21 cm (8") Duocell® an- nular low-midrange	1 x 21 cm (8") tri-axial driver 28 mm (1.1") polyether 10 cm (4") P2C annular midrange 21 cm (8") Duocell® annular low-midrange	1 x 2-way co-axial BC17 : 35 mm (1.4") Kaladex® midrange-tweeter 16 cm (6.3") Duocell low- midrange-woofer	1 x 2-way co-axial BC17 : 35 mm (1.4") Kaladex® midrange- tweeter 16 cm (6.3") Duocell low-midrange-woofer	1 x 2-way co-axial BC17 : 35 mm (1.4") Ka- ladex® midrange- tweeter 16 cm (6.3") Duocell low- midrange-woofer
X-over Points	800 - 3,500 Hz	800 - 3,500 Hz	800 - 3,500 Hz	1,600 Hz	1,600 Hz	1,600 Hz
Efficiency 1W/1m	90 dB	90 dB	90 dB	90 dB	90 dB	90 dB
Freq. Response	80 - 25,000 Hz	80 - 25,000 Hz	80 - 25,000 Hz	96 - 22,000 Hz	96 - 22,000 Hz	96 - 22,000 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms
Min. Impedance	3.2 ohms	3.2 ohms	3.2 ohms	3.4 ohms	3.4 ohms	3.4 ohms
Power handling / Peak Power	220 / 1 540 W	220 / 1 540 W	220 / 1 540 W	150 / 1,000 W	150 / 1,000 W	150 / 1,000 W
Dimensions (HxWxD)	48.5" x 13" x 17"	11" x 11" x 11"	9.5" x 11" x 14"	48.4" x 13.4" x 15.4"	8.8" x 8.7" x 8.3"	8.7" x 8.7" x 10.6"
Weight	42 lbs	16.5 lbs	16.5 lbs	31 lbs	12 lbs	13 lbs
Finish	Wild cherry/black pearl Santos/black pearl Wenge/pearl (Wood veneer stand / painted base and sphere)	Black pearl Pearl	Black pearl Pearl White	Wild cherry/black pearl Santos/black pearl Wenge/pearl Wenge/black pearl (Wood veneer stand / painted base and sphere)	Black pearl Pearl	Black pearl Pearl
RETAIL	8,820.00	5,940.00	4,230.00	6050.00	4,310.00	4,310.00

See all subwoofers and system recommendations on page 13.

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087

IDEA

IO2 & Ki - SCS Technology



IDEA	IO2 Floorstander	IO2 Bookshelf / On-wall	IO2 In-ceiling	Ki Floorstander	Ki Bookshelf / On-wall
Ways	2	2	2	3	3
Drivers	1 x 2-way coaxial driver 27 mm (1") Ø Kaladex® tweeter 13 cm (5") Duocell driver	1 x 2-way coaxial driver 27 mm (1") Ø Kaladex® tweeter 13 cm (5") Duocell driver	1 x 2-way coaxial driver 27 mm (1") Ø Kaladex® tweeter 13 cm (5") Duocell driver	1 x coaxial 2-way unit 27 mm (1") Ø Kaladex® tweeter 12 cm (4.7") Kaladex® annular midrange 2 x 10 cm (4") Duocell woofers	1 x coaxial 2-way unit 27 mm (1") Ø Kaladex® tweeter 12 cm (4.7") Kaladex® annular midrange 2 x 10 cm (4") Duocell woofers
X-over Points	2,700 Hz	2,700 Hz	2,700 Hz	1,200 - 4,200 Hz	1,200 - 4,200 Hz
Efficiency 1W/1m	93 dB	93 dB	93 dB	93 dB	93 dB
Freq. Response	150 - 22,000 Hz	150 - 22,000 Hz	150 - 22,000 Hz	80 - 22,000 Hz	80 - 22,000 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms
Min. Impedance	3.8 ohms	3.8 ohms	3.8 ohms	3.2 ohms	3.2 ohms
Power handling / Peak Power	80 / 580 W	80 / 580 W	80 / 580 W	100 / 700 W	100 / 700 W
Magnetic Shielding	Yes	Yes	DNA	DNA	Yes
Dimensions (HxWxD)	41.5" x 12" x 12"	6.5" Diameter	10.5" Diameter	49.2" x 12" x 12"	32" x 6" x 7"
Weight	13 lbs	4.9 lbs	4.9 lbs	33 lbs	16 lbs
Finish	Light-oak or Wenge wood veneer stand with Pearl or Black pearl sphere	Pearl, Black pearl, White, Matte grey, Matte charcoal	White	Black aluminum Grey aluminum	Black aluminum Grey aluminum
RETAIL	1,970.00	970.00	970.00	2,370.00	1,810.00

See all subwoofers and system recommendations on page 13.

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087

IDEA



Altura MC - SCS Technology



- NEW SCS co-axial technology BC13 midrange-tweeter.
- The very light, but rigid and nicely damped woofer membranes have an exponential profile and variable thickness to obtain the most of long throw systems and powerful magnets.
- Non-parallel side panels to remove standing waves.
- Variable thickness cabinet panels for rigidity and neutrality.
- Magnets to hold the front grill. When the speaker is being used without the grills, the front panel is free from pins or holes.
- The bass-reflex port is positioned at the bottom and fires vertically reducing standing waves and provides a very efficient and linear extension of the low-frequencies thanks to a 360° radiation close to the floor.

IDEA	Ambrose 3 Center/On-wall/ Bookshelf	Iroise 3 Floorstander	Egea 3 Floorstander	Bora Bookshelf (pair)
Ways	3	3	3	3
Drivers	1 x 2-way co-axial unit BC13 2.7 cm (1") Kaladex® dome tweeter 12 cm P2C ring midrange 2 x 7" Duocell woofers 17MD18LR2	1 x 2-way co-axial unit BC13 2.7 cm (1") Kaladex® dome tweeter 12 cm P2C ring midrange 2 x 8" Duocell woofers 21MD20LB	1 x 2-way co-axial unit BC13 2.7 cm (1") Kaladex® dome tweeter 12 cm P2C ring midrange 2 x 6.7" Duocell woofers 17MD18LR2	1 x coaxial BC13 1 x 21MD20LB (21 cm – 8")
X-over Points	920 - 4,800 Hz	750 - 3,700 Hz	1,120 - 4,400 Hz	800 – 4,400 Hz
Efficiency 1W/1m	91 dB	93 dB	90 dB	90 dB
Freq. Response	75- 24,000 Hz	50 - 24,000 Hz	55 - 24,000 Hz	52- 24,000 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms	8 ohms
Min. Impedance	3.8 ohms	3.3 ohms	3.8 ohms	4.1 ohms
Power handling / Peak Power	110/770 W	150 / 1,000 W	110 / 770 W	120 / 840 W
Dimensions (HxWxD)	31.5" x 7.5" x 8.3"	45.7" x 12.6" x 16.5"	43.7" x 11.4" x 16.2"	19" x 10" x 13"
Weight	33 lbs.	77 lbs	66 lbs	33 lbs
Finish	Golden Cherry wood finish Santos wood finish Gloss black	Golden Cherry wood finish Santos wood finish Gloss black	Golden Cherry wood finish Santos wood finish Gloss black	Golden Cherry wood finish Santos wood finish Gloss black
RETAIL	3,050.00	3,720.00	3,270.00	4,780.00/pr

See all subwoofers and system recommendations on page 13.

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087



Eole 2 & Alcyone - SCS Technology



Eole 2 5.1 System: 5 x satellite, 1 x Santorin 21, cables, 2 x stands
Eole 2 2.1 System: 2 x satellite, 1 x Santorin 21, cables



Eole 2
In-ceiling



Stand Option for
Alcyone satellite

Alcyone 5.1 System:
5 x satellite
1 x Santorin 17 subwoofer
cables



OCEO	Eole 2 Satellite	Santorin 21 Subwoofer	Eole 2 In-ceiling	Alcyone Satellite	Santorin 17 Subwoofer
Ways	2	1	2	1	1
Drivers	2-way coaxial driver : 1 x DOM18: 29 mm (1.1") soft dome tweeter 1 x 10T15: 10 cm (4") P2C midrange-woofer	1 x 21MT3 : 21cm (8") ICF woofer	2-way coaxial driver : 1 x DOM18: 29 mm (1.1") soft dome tweeter 1 x 10T15: 10 cm (4") P2C midrange-woofer	1 x coaxial 2-way unit 21 x 8 cm (3.2") wide band ICF driver	1 x 17 cm (6.7") ICF woofer
X-over Points	4,000 Hz	adjustable 20 - 200 Hz	4,000 Hz	DNA	adjustable 35 - 200 Hz
Phase	DNA	adjustable 0° - 180°	DNA	DNA	adjustable 0° - 180°
Efficiency 1W/1m	91 dB	active	91 dB	91 dB	active
Freq. Response	170 - 22,000 Hz	35 - 200 Hz	170 - 22,000 Hz	250 - 18,000 Hz	39 - 200 Hz
Nom. Impedance	8 ohms	active	8 ohms	8 ohms	active
Min. Impedance	4.3 ohms	active	4.3 ohms	4 ohms	active
Power handling / Peak Power	70 / 490 W	250 / 750 W	70 / 490 W	50 / 350 W	100 / 300 W
Magnetic Shielding	Yes	No	DNA	Yes	Yes
Dimensions (HxWxD)	6.5" Diameter	13" x 13" x 14.2"	7.87" Diameter	3.9" With stand: 36.6" x 6.3" x 6.3"	11.8" x 11.8" x 11.8"
Weight	2.9 lbs	25 lbs	2.9 lbs	1.5 lbs 5.5 lbs with stand	16 lbs
Finish	Gloss black painted Gloss white painted	Gloss black painted Gloss white painted	White painted	Gloss black painted Gloss white painted	Gloss black vinyl Gloss white vinyl

	Eole 2 5.1 System	Eole 2 2.1 System	Eole 2 Satellite	Eole 2 Stands - (White or black)	Eole 2 In-ceiling (pair)	Alcyone 5.1 System	Alcyone Satellite	Alcyone Stands - Black only (Optional)
RETAIL	2,960.00	1,780.00	470.00	590.00/ pair	930.00 / pair	1,740.00	290.00	520.00 / pair

See all subwoofers and system recommendations on page 13.

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087



PHI System - SCS Technology



PHI Floorstander



PHI Bookshelf / On-wall

With the PHI SYSTEM®, Cabasse proposes a Hi Fi / audio video system based on the Spatially Coherent Source (SCS) principles coming from our high end ARTIS range of speakers. With PHI satellite speakers combined with a Santorin 21 active subwoofer you will get a very high quality system, either in a 2.1 configuration (standard stereo) or in a 5.1 configuration (5 channel system) or 6.1 or 7.2... The bookshelf / on-wall model can be positioned vertically (as shown) or horizontally under or above a flat panel display.

OCEO	PHI Floorstander (pair)	PHI Bookshelf / On-wall (each)	Santorin 21 Subwoofer
Ways	2.5	2.5	1
Drivers	1 x co-axial unit: 24 mm (0.95") soft dome tweeter 10 cm (4") P2C* midrange-woofer 1 x 10 cm (4") low-midrange-woofer	1 x co-axial unit: 24 mm (0.95") soft dome tweeter 10 cm (4") P2C* midrange-woofer 1 x 10 cm (4") low-midrange-woofer	1 x 21 cm (8") ICF woofer
X-over Points	adjustable 680 - 3,100 Hz	adjustable 680 - 3,100 Hz	adjustable 20-200 Hz
Efficiency 1W/1m	93 dB	93 dB	active
Freq. Response	140 - 22,000 Hz	140 - 22,000 Hz	35 - 200 Hz
Phase	DNA	DNA	adjustable 0° - 180°
Nom. Impedance	8 ohms	8 ohms	active
Min. Impedance	3.4 ohms	3.4 ohms	active
Power handling / Peak Power	100 / 700 W	100 / 700 W	250 / 750 W
Magnetic Shielding	No	No	No
Dimensions (HxWxD)	43.7" x 9.5" x 9.5"	17.3" x 6.3" x 4.4"	13" x 13" x 14"
Weight	22 lbs	10 lbs	25 lbs
Finish	Gloss black Gloss white	Gloss black Gloss white	Gloss black Gloss white
RETAIL	2,020.00 / pair	800.00	1,310.00

See all subwoofers and system recommendations on page 13.

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087



MC40 Series - SCS Technology



With the introduction of SCS high-end technology in this category of loudspeaker, Cabasse invites you to discover a new sonic world, rich with precision, realism, and 3D sound stage.

Fitted with the new BC10 2-way coaxial midrange-tweeter, the 3-way MC40 speakers bring live sound, emotion and elegance with unrivaled value.

Discover, in particular, the Minorca - a unique compact 3-way system, only by Cabasse!

OCEO	Majorca Floorstander	Java Floorstander	Minorca Bookshelf (pair)	Cabrera Shielded Center Shelf / On-wall	Formentera Surround Shelf / On-wall (pair)	Mercure Subwoofer
Ways	3	3	3	3	3	1
Drivers	1 x co-axial BC10: 27 mm (1.1") Peek tweeter 10 cm (4") P2C* midrange 2 x 21 cm (8") Duocell woofer	1 x co-axial BC10: 27 mm (1.1") Peek tweeter 10 cm (4") P2C* midrange 2 x 17 cm (7") Duocell woofer	1 x co-axial BC10: 27 mm (1.1") Peek tweeter 10 cm (4") P2C* midrange 1 x 17 cm (7") Duocell woofer	1 x co-axial BC10: 27 mm (1.1") Peek tweeter 10 cm (4") P2C* midrange 2 x 13 cm (5") Duocell woofer	1 x co-axial BC10: 27 mm (1.1") Peek tweeter 10 cm (4") P2C* midrange 1 x 17 cm (7") Duocell woofer	1 x 21 cm / 8" woofer
X-over Points	800 - 3,200 Hz	900 - 3,400 Hz	900 - 3,200 Hz	900 - 3,200 Hz	900 - 3,200 Hz	adj. 30 - 180 Hz
Efficiency 1W/1m	90.5 dB	90 dB	89 dB	89.5 dB	90 dB	active
Freq. Response	49 - 23,000 Hz	59 - 23,000 Hz	69 - 23,000 Hz	70 - 23,000 Hz	79 - 23,000 Hz	35 - 200 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms	active
Min. Impedance	3.2 ohms	3.4 ohms	3.3 ohms	3.2 ohms	3.3 ohms	active
Power handling / Peak Power	150 / 1000 W	110 / 770 W	75 / 550 W	90 / 630 W	75 / 550 W	250 / 750 W
Dimensions (HxWxD)	45.28" x 11.42" x 13.78"	43.31" x 9.84" x 13.78"	15.75" x 9.06" x 11.02"	7.09" x 19.29" x 13.78"	13.78" x 12.60" x 5.91"	16.9" x 14.2" x 17.7"
Weight	68 lbs	59 lbs	21 lbs	26 lbs	17 lbs	48 lbs
Finish	Cherry or Purple Cherry vinyl finish* with anthracite + beige front grilles	Cherry or Purple Cherry vinyl finish* with anthracite + beige front grilles	Cherry or Purple Cherry vinyl finish* with anthracite + beige front grilles	Cherry or Purple Cherry vinyl finish* with anthracite + beige front grilles	Cherry or Purple Cherry vinyl finish* with anthracite + beige front grilles	Cherry or Purple Cherry vinyl finish*
RETAIL	2,090.00	1,810.00	1,740.00 / pair	1,210.00	1,590.00 / pair	1,970.00

See all subwoofers and system recommendations on page 13.

* Gloss black finish available upon request at additional cost.

Pricing is EACH unless otherwise noted.

OCEO **MT30 Series**



Aldernay Floorstander

Jersey Floorstander

Tobago Floorstander

With an all new elegant cabinet design, fidelity to the musical atmosphere, dialogue, and dynamics, the MT30 range offers homogenous acoustics and aesthetics for stereo listening or home cinema viewing.

The DOM36 midrange-tweeter provides a sound image realism faithful to the SCS principles.

OCEO	Aldernay Floorstander	Jersey Floorstander	Tobago Floorstander
Ways	3	2	2
Drivers	1 tweeter DOM 36 1 x 13 cm / 5" 13TD15M 2 x 17 cm / 7" 17T15	1 tweeter DOM 36 2 x 17 cm / 7" 17TD15	1 tweeter DOM 36 2 x 13 cm / 5" 13TD15
X-over Points	900 - 3,000 Hz	2,800 Hz	3,500 Hz
Efficiency 1W/1m	91 dB	91 dB	88 dB
Freq. Response	59 - 23,000 Hz	58 - 22,000 Hz	55 - 23,000 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms
Min. Impedance	3.6 ohms	4.5 ohms	4.7 ohms
Power handling / Peak Power	110 / 770 W	100 / 700 W	85 / 600 W
Dimensions (HxWxD)	42.1" x 9.5" x 14.7"	39" x 8.2" x 12.7"	37.5" x 7.1" x 12.7"
Weight	53 lbs	40 lbs	37 lbs
Finish	Cherry or Wenge vinyl finish with black front grilles*	Cherry or Wenge vinyl finish with black front grilles*	Cherry or Wenge vinyl finish with black front grilles*
RETAIL	1,610.00	1,240.00	1,140.00

See all subwoofers and system recommendations on page 13.

* Gloss black finish available upon request at additional cost.

Pricing is EACH unless otherwise noted.

MT30 Series (continued)



With an all new elegant cabinet design, fidelity to the musical atmosphere, dialogue, and dynamics, the MT30 range offers homogenous acoustics and aesthetics for stereo listening or home cinema viewing.

The DOM36 midrange-tweeter provides a sound image realism faithful to the SCS principles.

OCEO	Antigua Bookshelf (pair)	Antigua In-wall / In-ceiling (pair)	Socoa Shielded Center	Pico Surround (pair)	Orion Subwoofer
Ways	2	2	2	2	1
Drivers	1 tweeter DOM 36 1 x 17 cm / 7" 17T15	1 tweeter DOM 36 1 x 17 cm / 7" 17T15	1 tweeter DOM 36 2 x 13 cm / 5" 13TD15TV	1 tweeter DOM 36 1 x 13 cm / 5" 13TD15	1 x 21 cm / 8" 21 MT3
X-over Points	3,000 Hz	3,500 Hz	4,000 Hz	2,800 Hz	adjustable 30 - 180 Hz
Efficiency 1W/1m	89.5 dB	91 dB	88 dB	88 dB	active
Freq. Response	69 - 23,000 Hz	80 - 23,000 Hz	70 - 23,000 Hz	110 - 23,000 Hz	35 - 200 Hz
Nom. Impedance	8 ohms	8 ohms	8 ohms	8 ohms	active
Min. Impedance	4.3 ohms	6.9 ohms	4.9 ohms	4.2 ohms	active
Power handling / Peak Power	75 / 550 W	75 / 550 W	85 / 600 W	70 / 500 W	250 / 750 W
Dimensions (HxWxD)	16.1" x 10.2" x 11.5"	12.7" x 10.2" x 3.11"	6.1" x 18.11" x 14.7"	13.5" x 10.1" x 4.3"	16.1" x 12.1" x 16.11"
Weight	19 lbs	8 lbs	24 lbs	9 lbs	35 lbs
Finish	Cherry or Wenge vinyl finish* with black front grilles	Paintable white	Cherry or Wenge vinyl finish* with black front grilles	Cherry or Wenge vinyl finish* with black front grilles	Cherry or Wenge vinyl finish*
RETAIL	1,440.00 / pair	830.00 / pair	870.00	880.00 / pair	1,410.00

See all subwoofers and system recommendations on page 13.

* Gloss black finish available upon request at additional cost.

Pricing is EACH unless otherwise noted.

Subwoofers



SUBS	Santorin 30	Santorin 25	Santorin 21	Santorin 17	Thor II	Mercure	Orion
Recommended for	All Speakers	IDEA & OCEO Series	OCEO Series	Alcyone System	ALTURA MC Series & Ki System	MC40 Series	MT30 Series
Drivers	1 x 30 cm (12") 30ND40	25 cm (10") - 25S20 model	1 x 21MT3 : 21cm (8") ICF woofer	1 x 17 cm (7") ICF woofer	30 cm (12") - type 30M22	1 x 21 cm / 8" woofer	1 x 21 cm / 8" 21 MT3
X-over Points	adjustable 20 - 200 Hz	adjustable 40 - 180 Hz	adjustable 20 - 200 Hz	adjustable 35 - 200 Hz	adjustable 40 - 180 Hz	adjustable 30 - 180 Hz	adjustable 30 - 180 Hz
Phase	0° to 180° in 1° increments	adjustable 0° - 180°	adjustable 0° - 180°	adjustable 0° - 180°	adjustable 0° - 180°	adjustable 0° - 180°	adjustable 0° - 180°
Freq. Response	22- 200Hz in semi- reverberating chamber	30 - 150 Hz	35 - 200 Hz	39 - 200 Hz	22 - 200 Hz	35 - 200 Hz	35 - 200 Hz
Power handling / Peak Power	500 / 1000 W	250 / 750 W	250 / 750 W	100 / 300 W	250 / 750 W	250 / 750 W	250 / 750 W
Dimensions (HxWxD)	16.9" x 14.2" x 15"	16.5" x 14.2" x 14.6"	13" x 13" x 14.2"	11.8" x 11.8" x 11.8"	21.7" x 13.4" x 22.8"	16.9" x 14.2" x 17.7"	16.1" x 12.1" x 16.11"
Weight	62 lbs	42 lbs	25 lbs	22 lbs	53 lbs	48 lbs	35 lbs
Finish	Gloss black Gloss white	Gloss black Gloss white	Gloss black Gloss white	Gloss black Gloss white	Black aluminum Grey aluminum	Cherry or Purple Cherry vinyl finish	Cherry or Wenge vinyl finish
RETAIL	5,760.00	1,900.00	1,310.00	920.00	3,360.00	1,970.00	1,410.00

Pricing is EACH unless otherwise noted.

StJohn Group, Inc.
Exclusive Distributors for the U.S. and Caribbean

Prices are \$USD, FOB origin
Prices, availability, and specifications subject to change without notice.
info@stjohngroup.com • tel (360) 756-2205 • fax (360) 647-1087

The New Ambrose 3 LCR Speaker



by **Cabasse**

See page 8



Technology for Designed Environments

4396 Saddlestone Drive, Bellingham, WA 98226
info@stjohngroup.com • www.stjohngroup.com
Tel: 360-756-2205 • Fax: 360-647-1087

Cabasse is a trademark of CABASSE SA.
©2010 StJohn Group. All rights reserved.
[100301] Stock #CA1001